



**Combined Sewer Overflow
Public Notification Program
2020 Annual Report**

**City of Lakewood, Ohio
May 1, 2021**

City of Lakewood, Ohio
 CSO Public Notification Program
 Annual Report for 2020

The City of Lakewood has combined sewer overflows (CSO) on Lake Erie and Rocky River. Public access areas affected by CSOs are Rocky River and Lake Erie beaches. Lakewood reports CSO activity monthly to the Ohio EPA. The City has three (3) rain gauges that recorded 40.5 to 46.2 inches of total rainfall throughout the year. The rainfall led to seventy-six (76) combined sewer overflows events in 2020 with no treatment. A summary of these events for 2020 caused from wet weather is as follows:

Event	Location	Event Start	Event End	Total Volume (MG)	Duration (Hrs)	Total Rain (in)
1 ^{1,2}	LEWS 1070	1/9/20 19:20	1/12/20 2:15	0.04	54.9	0.88
	LEWS 1130	1/9/20 23:50	1/12/20 1:35	0.01	49.8	
	RRES 1145	1/10/20 1:25	1/10/20 9:50	0.02	8.4	
	CSO-052	1/10/20 1:55	1/10/20 7:50	0.66	5.9	
	LEWS 1040	1/10/20 2:00	1/10/20 7:35	0.05	5.6	
	CSO-056B	1/10/20 2:10	1/10/20 3:15	0.04	1.1	
	CSO-002	1/10/20 2:25	1/10/20 7:55	0.02	5.5	
	LEWS 1040	1/10/20 19:30	1/10/20 22:50	0.03	3.3	
	CSO-052	1/10/20 19:35	1/10/20 23:00	0.42	3.4	
	CSO-002	1/10/20 20:55	1/10/20 23:35	0.03	2.7	
	CSO-052	1/12/20 1:20	1/12/20 1:50	0.05	0.5	
2 ^{1,2}	LEWS 1070	1/18/20 9:10	1/18/20 21:15	0.22	12.1	0.57
	RRES 1145	1/18/20 10:05	1/18/20 17:20	0.04	7.3	
	CSO-052	1/18/20 10:05	1/18/20 19:30	2.06	9.4	
	LEWS 1040	1/18/20 10:20	1/18/20 19:30	0.26	9.2	
	CSO-002	1/18/20 11:30	1/18/20 21:00	0.01	9.5	
	CSO-056B	1/18/20 12:10	1/18/20 18:45	0.65	6.6	
	CSO-056A	1/18/20 12:40	1/18/20 18:25	0.24	5.8	
	CSO-059	1/18/20 12:50	1/18/20 19:50	0.81	7.0	
	LEWS 1045	1/18/20 12:55	1/18/20 18:25	0.07	5.5	
3 ¹	CSO-052	1/24/20 12:25	1/24/20 13:40	0.12	1.3	0.16
4 ¹	CSO-052	2/10/20 4:10	2/10/20 6:45	0.42	2.6	0.16
	LEWS 1040	2/10/20 4:15	2/10/20 6:15	0.03	2.0	
5 ¹	CSO-052	2/18/20 1:55	2/18/20 2:10	0.02	0.3	0.14
6 ¹	CSO-052	2/24/20 23:00	2/24/20 23:55	0.11	0.9	0.21
7 ¹	LEWS 1040	3/3/20 11:30	3/3/20 14:00	0.03	2.5	0.20
	CSO-052	3/3/20 11:45	3/3/20 14:45	0.43	3.0	
	CSO-002	3/3/20 13:25	3/3/20 14:55	0.05	1.5	

8 ^{1,2}	RRES 1145	3/10/20 9:10	3/10/20 10:25	0.01	1.3	0.17
	LEWS 1040	3/10/20 9:20	3/10/20 10:05	0.02	0.8	
	CSO-052	3/10/20 9:20	3/10/20 10:40	0.29	1.3	
	CSO-056B	3/10/20 9:25	3/10/20 9:50	0.02	0.4	
9 ^{1,2}	RRES 1145	3/12/20 23:40	3/13/20 1:25	0.02	1.8	0.29
	LEWS 1040	3/12/20 23:40	3/13/20 1:35	0.06	1.9	
	LEWS 1070	3/12/20 23:45	3/13/20 2:25	0.03	2.7	
	CSO-056B	3/12/20 23:50	3/13/20 1:50	0.15	2.0	
	CSO-052	3/12/20 23:50	3/13/20 2:00	0.80	2.2	
	CSO-056A	3/13/20 0:00	3/13/20 1:45	0.04	1.8	
	CSO-002	3/13/20 0:25	3/13/20 2:05	0.08	1.7	
	CSO-059	3/13/20 1:15	3/13/20 2:00	0.04	0.8	
10 ^{1,2}	RRES 1145	3/18/20 15:40	3/18/20 22:15	0.08	6.6	0.95
	LEWS 1055	3/18/20 15:50	3/18/20 22:55	0.15	7.1	
	LEWS 1040	3/18/20 15:55	3/18/20 23:10	0.43	7.3	
	CSO-056B	3/18/20 16:00	3/18/20 23:30	1.49	7.5	
	CSO-052	3/18/20 16:00	3/19/20 0:00	3.50	8.0	
	LEWS 1070	3/18/20 16:05	3/19/20 1:50	0.24	9.8	
	CSO-056A	3/18/20 16:15	3/18/20 23:15	0.48	7.0	
	CSO-002	3/18/20 16:40	3/19/20 1:25	3.02	8.8	
	LEWS 1045	3/18/20 17:05	3/18/20 23:45	0.13	6.7	
	CSO-059	3/18/20 17:05	3/19/20 0:25	1.23	7.3	
	CSO-055	3/18/20 17:25	3/18/20 21:55	0.05	4.5	
	LEWS 1190	3/18/20 20:10	3/18/20 21:55	0.03	1.8	
11 ¹	CSO-052	3/19/20 18:50	3/19/20 19:55	0.14	1.1	0.10
12 ^{1,2}	RRES 1145	3/20/20 5:40	3/20/20 6:35	0.01	0.9	0.19
	LEWS 1055	3/20/20 5:45	3/20/20 6:50	0.02	1.1	
	CSO-056B	3/20/20 5:50	3/20/20 6:50	0.08	1.0	
	CSO-052	3/20/20 5:50	3/20/20 7:25	0.55	1.6	
	CSO-055	3/20/20 5:55	3/20/20 6:35	0.03	0.7	
	CSO-056A	3/20/20 5:55	3/20/20 6:40	0.02	0.8	
	LEWS 1040	3/20/20 5:55	3/20/20 6:45	0.04	0.8	
	LEWS 1070	3/20/20 5:55	3/20/20 7:55	0.02	2.0	
	CSO-002	3/20/20 6:30	3/20/20 8:20	0.19	1.8	
13 ¹	CSO-052	3/22/20 21:25	3/22/20 22:20	0.09	0.9	0.13
14 ¹	CSO-052	3/26/20 22:55	3/27/20 0:35	0.15	1.7	0.32
	CSO-002	3/27/20 0:05	3/27/20 1:05	0.04	1.0	

15 ^{1,2}	RRES 1145	3/27/20 22:50	3/28/20 7:20	0.13	8.5	1.10
	LEWS 1130	3/27/20 22:55	3/28/20 14:05	0.02	15.2	
	LEWS 1055	3/27/20 23:15	3/28/20 9:45	0.41	10.5	
	LEWS 1040	3/27/20 23:20	3/28/20 10:10	0.76	10.8	
	CSO-052	3/27/20 23:20	3/28/20 13:20	5.19	14.0	
	CSO-056B	3/27/20 23:25	3/28/20 12:25	1.76	13.0	
	CSO-002	3/28/20 0:45	3/28/20 16:10	4.02	15.4	
	LEWS 1070	3/28/20 1:20	3/28/20 16:00	0.31	14.7	
	CSO-055	3/28/20 4:15	3/28/20 7:20	0.26	3.1	
	CSO-056A	3/28/20 4:15	3/28/20 10:10	0.43	5.9	
	CSO-059	3/28/20 4:15	3/28/20 13:55	1.96	9.7	
	LEWS 1190	3/28/20 4:35	3/28/20 7:25	0.06	2.8	
	LEWS 1045	3/28/20 4:35	3/28/20 12:10	0.03	7.6	
16 ^{1,2}	RRES 1145	3/28/20 23:20	3/29/20 2:25	0.19	3.1	1.08
	LEWS 1055	3/28/20 23:25	3/29/20 6:10	0.80	6.8	
	CSO-055	3/28/20 23:30	3/29/20 3:20	0.55	3.8	
	CSO-056B	3/28/20 23:30	3/29/20 6:40	2.42	7.2	
	CSO-052	3/28/20 23:30	3/29/20 7:20	5.63	7.8	
	LEWS 1070	3/28/20 23:30	3/29/20 11:50	0.36	12.3	
	CSO-056A	3/28/20 23:35	3/29/20 5:55	0.58	6.3	
	LEWS 1040	3/28/20 23:35	3/29/20 6:50	1.20	7.3	
	LEWS 1130	3/28/20 23:40	3/29/20 1:30	0.02	1.8	
	LEWS 1045	3/28/20 23:45	3/29/20 6:55	0.09	7.2	
	CSO-059	3/28/20 23:45	3/29/20 9:20	2.92	9.6	
	CSO-002	3/28/20 23:50	3/29/20 12:25	4.55	12.6	
	CSO-058	3/28/20 23:55	3/29/20 2:00	0.02	2.1	
LEWS 1190	3/28/20 23:55	3/29/20 3:10	0.09	3.3		
17 ¹	CSO-052	4/7/20 8:50	4/7/20 9:15	0.03	0.4	0.17
18 ^{1,2}	RRES 1145	4/7/20 21:50	4/8/20 0:55	0.08	3.1	0.93
	LEWS 1040	4/7/20 21:50	4/8/20 2:20	0.60	4.5	
	CSO-052	4/7/20 21:50	4/8/20 3:10	3.49	5.3	
	CSO-055	4/7/20 22:00	4/8/20 0:55	0.26	2.9	
	LEWS 1055	4/7/20 22:00	4/8/20 1:25	0.27	3.4	
	CSO-056B	4/7/20 22:00	4/8/20 2:15	1.23	4.3	
	CSO-056A	4/7/20 22:05	4/8/20 2:00	0.33	3.9	
	CSO-059	4/7/20 22:10	4/8/20 3:20	1.19	5.2	
	CSO-002	4/7/20 22:30	4/8/20 4:45	2.08	6.3	
	LEWS 1070	4/7/20 22:30	4/8/20 4:55	0.16	6.4	
	LEWS 1190	4/7/20 22:35	4/8/20 0:50	0.03	2.3	
19 ¹	CSO-052	4/9/20 5:40	4/9/20 8:45	0.25	3.1	0.21
20 ¹	CSO-052	4/13/20 5:15	4/13/20 6:15	0.12	1.0	0.25

21 ^{1,2}	RRES 1145	4/26/20 2:15	4/26/20 4:05	0.02	1.8	0.54
	CSO-052	4/26/20 2:15	4/26/20 7:35	0.94	5.3	
	LEWS 1040	4/26/20 2:25	4/26/20 6:25	0.04	4.0	
	CSO-056B	4/26/20 2:40	4/26/20 4:55	0.20	2.3	
	CSO-056A	4/26/20 3:15	4/26/20 4:45	0.05	1.5	
	CSO-002	4/26/20 3:15	4/26/20 8:35	0.61	5.3	
	LEWS 1070	4/26/20 3:20	4/26/20 7:40	0.06	4.3	
	CSO-059	4/26/20 3:35	4/26/20 5:15	0.12	1.7	
22 ¹	CSO-052	4/28/20 19:50	4/28/20 22:35	0.03	2.8	0.11
23 ^{1,2}	RRES 1145	5/10/20 17:20	5/10/20 20:55	0.02	3.6	0.34
	LEWS 1055	5/10/20 17:35	5/10/20 18:30	0.01	0.9	
	CSO-056B	5/10/20 17:35	5/10/20 21:00	0.11	3.4	
	LEWS 1040	5/10/20 17:35	5/10/20 21:00	0.06	3.4	
	CSO-052	5/10/20 17:35	5/10/20 21:25	0.60	3.8	
	CSO-056A	5/10/20 17:45	5/10/20 20:55	0.01	3.2	
24 ¹	CSO-052	5/11/20 4:20	5/11/20 5:35	0.15	1.3	0.19
25 ^{1,2}	RRES 1145	5/14/20 10:15	5/14/20 18:05	0.03	7.8	0.38
	CSO-052	5/14/20 11:00	5/14/20 18:40	0.76	7.7	
	CSO-055	5/14/20 11:05	5/14/20 17:55	0.05	6.8	
	CSO-056B	5/14/20 11:10	5/14/20 18:10	0.12	7.0	
	LEWS 1040	5/14/20 11:10	5/14/20 18:15	0.09	7.1	
	CSO-056A	5/14/20 11:15	5/14/20 18:05	0.03	6.8	
	LEWS 1055	5/14/20 17:15	5/14/20 18:25	0.08	1.2	
	CSO-002	5/14/20 17:50	5/14/20 18:50	0.08	1.0	
26 ¹	LEWS 1040	5/15/20 1:55	5/15/20 2:20	0.01	0.4	0.09
	CSO-052	5/15/20 2:05	5/15/20 2:40	0.09	0.6	
27 ^{1,2}	RRES 1145	5/15/20 12:05	5/15/20 18:05	0.13	6.0	1.31
	CSO-052	5/15/20 12:35	5/15/20 21:40	6.42	9.1	
	LEWS 1040	5/15/20 12:40	5/15/20 21:45	1.42	9.1	
	CSO-056B	5/15/20 12:55	5/15/20 20:40	2.42	7.8	
	LEWS 1130	5/15/20 12:55	5/16/20 2:05	0.03	13.2	
	CSO-056A	5/15/20 13:10	5/15/20 20:15	0.61	7.1	
	CSO-055	5/15/20 13:15	5/15/20 17:25	0.45	4.2	
	LEWS 1055	5/15/20 13:15	5/15/20 18:00	0.92	4.8	
	CSO-002	5/15/20 13:20	5/15/20 23:45	3.88	10.4	
	LEWS 1070	5/15/20 13:30	5/16/20 0:00	0.29	10.5	
	CSO-059	5/15/20 13:40	5/15/20 22:15	2.59	8.6	
	LEWS 1190	5/15/20 13:45	5/15/20 18:10	0.08	4.4	
	LEWS 1045	5/15/20 14:25	5/15/20 19:55	0.05	5.5	

28 ^{1,2}	CSO-055	5/17/20 12:35	5/17/20 18:40	0.04	6.1	0.34
	RRES 1145	5/17/20 12:35	5/17/20 18:40	0.04	6.1	
	LEWS 1040	5/17/20 16:10	5/17/20 18:45	0.06	2.6	
	CSO-052	5/17/20 16:15	5/17/20 19:20	0.70	3.1	
	CSO-056B	5/17/20 16:25	5/17/20 19:15	0.24	2.8	
	CSO-002	5/17/20 16:50	5/17/20 20:10	0.52	3.3	
	LEWS 1070	5/17/20 17:05	5/17/20 20:00	0.06	2.9	
	CSO-059	5/17/20 17:25	5/17/20 19:20	0.11	1.9	
29 ^{1,2}	RRES 1145	5/18/20 9:00	5/19/20 6:35	0.23	21.6	2.03
	CSO-052	5/18/20 9:10	5/19/20 7:55	10.81	22.8	
	LEWS 1040	5/18/20 12:35	5/19/20 8:25	2.10	19.8	
	CSO-056B	5/18/20 12:40	5/19/20 8:05	5.47	19.4	
	CSO-055	5/18/20 13:25	5/19/20 2:05	1.13	12.7	
	CSO-002	5/18/20 13:30	5/19/20 12:15	9.86	22.8	
	CSO-056A	5/18/20 13:35	5/19/20 7:05	1.37	17.5	
	LEWS 1070	5/18/20 13:40	5/19/20 11:55	0.68	22.3	
	CSO-059	5/18/20 14:10	5/19/20 9:45	5.71	19.6	
	LEWS 1190	5/18/20 14:55	5/19/20 2:15	0.20	11.3	
	LEWS 1055	5/18/20 15:20	5/19/20 1:10	0.96	9.8	
	LEWS 1130	5/18/20 15:50	5/19/20 14:50	0.01	23.0	
	LEWS 1180	5/19/20 1:20	5/19/20 1:35	0.15	0.3	
30 ^{1,2}	RRES 1145	5/22/20 10:55	5/22/20 13:05	0.03	2.2	0.37
	LEWS 1055	5/22/20 11:00	5/22/20 13:05	0.03	2.1	
	LEWS 1040	5/22/20 11:00	5/22/20 13:30	0.13	2.5	
	CSO-056B	5/22/20 11:05	5/22/20 13:35	0.37	2.5	
	CSO-052	5/22/20 11:10	5/22/20 13:35	0.79	2.4	
	CSO-055	5/22/20 11:30	5/22/20 12:35	0.03	1.1	
	CSO-056A	5/22/20 11:35	5/22/20 13:25	0.11	1.8	
	CSO-002	5/22/20 11:45	5/22/20 14:20	0.60	2.6	
	LEWS 1070	5/22/20 11:50	5/22/20 14:25	0.06	2.6	
	CSO-059	5/22/20 12:00	5/22/20 13:50	0.24	1.8	
31 ¹	CSO-052	5/28/20 8:25	5/28/20 8:45	0.02	0.3	0.10

32 ^{1,2}	RRES 1145	5/29/20 14:15	5/29/20 16:15	0.03	2.0	0.39
	CSO-055	5/29/20 14:20	5/29/20 16:10	0.04	1.8	
	LEWS 1055	5/29/20 14:20	5/29/20 16:20	0.03	2.0	
	LEWS 1040	5/29/20 14:20	5/29/20 16:50	0.11	2.5	
	CSO-056B	5/29/20 14:25	5/29/20 16:40	0.27	2.3	
	CSO-056A	5/29/20 14:30	5/29/20 16:35	0.07	2.1	
	CSO-052	5/29/20 14:30	5/29/20 16:55	0.78	2.4	
	CSO-059	5/29/20 14:35	5/29/20 17:05	0.10	2.5	
	CSO-002	5/29/20 15:05	5/29/20 17:20	0.36	2.3	
	LEWS 1070	5/29/20 15:20	5/29/20 17:35	0.05	2.3	
	LEWS 1045	5/29/20 15:40	5/29/20 16:20	0.01	0.7	
33 ^{1,2}	RRES 1145	6/10/20 18:40	6/10/20 19:35	0.02	0.9	0.35
	LEWS 1040	6/10/20 18:40	6/10/20 19:50	0.11	1.2	
	LEWS 1055	6/10/20 18:40	6/10/20 19:50	0.06	1.2	
	CSO-055	6/10/20 18:45	6/10/20 19:35	0.04	0.8	
	CSO-056B	6/10/20 18:45	6/10/20 19:55	0.15	1.2	
	CSO-052	6/10/20 18:45	6/10/20 20:05	0.54	1.3	
	CSO-056A	6/10/20 18:50	6/10/20 19:55	0.04	1.1	
	CSO-059	6/10/20 18:55	6/10/20 20:10	0.01	1.3	
	CSO-002	6/10/20 19:15	6/10/20 20:25	0.14	1.2	
	LEWS 1070	6/10/20 19:25	6/10/20 20:35	0.02	1.2	
34 ¹	CSO-052	6/13/20 0:20	6/13/20 0:40	0.03	0.3	0.06
35 ¹	LEWS 1040	6/18/20 19:45	6/18/20 20:15	0.03	0.5	0.12
	CSO-055	6/18/20 19:50	6/18/20 20:15	0.02	0.4	
	CSO-052	6/18/20 19:50	6/18/20 20:40	0.30	0.8	
	CSO-056B	6/18/20 19:55	6/18/20 20:20	0.02	0.4	
36 ¹	LEWS 1040	6/22/20 10:05	6/22/20 12:20	0.05	2.3	0.18
	CSO-052	6/22/20 10:10	6/22/20 12:40	0.32	2.5	
37 ^{1,2}	RRES 1145	6/23/20 8:15	6/23/20 11:40	0.08	3.4	0.64
	CSO-055	6/23/20 10:35	6/23/20 11:30	0.29	0.9	
	LEWS 1055	6/23/20 10:35	6/23/20 12:15	0.31	1.7	
	LEWS 1040	6/23/20 10:35	6/23/20 12:45	0.72	2.2	
	CSO-056A	6/23/20 10:40	6/23/20 12:20	0.15	1.7	
	CSO-056B	6/23/20 10:40	6/23/20 12:25	0.83	1.8	
	CSO-052	6/23/20 10:40	6/23/20 12:40	1.95	2.0	
	LEWS 1070	6/23/20 10:45	6/23/20 13:30	0.08	2.8	
	CSO-058	6/23/20 10:50	6/23/20 11:25	0.01	0.6	
	CSO-059	6/23/20 10:50	6/23/20 12:50	0.45	2.0	
	CSO-002	6/23/20 10:55	6/23/20 13:10	0.69	2.3	
	LEWS 1190	6/23/20 11:00	6/23/20 11:40	0.02	0.7	
	LEWS 1045	6/23/20 11:45	6/23/20 12:35	0.01	0.8	

38 ^{1,2}	LEWS 1130	6/26/20 22:10	6/27/20 10:05	0.02	11.9	0.96
	RRES 1145	6/26/20 22:15	6/27/20 5:00	0.05	6.8	
	LEWS 1055	6/26/20 22:15	6/27/20 5:20	0.23	7.1	
	CSO-052	6/26/20 22:15	6/27/20 5:40	1.54	7.4	
	LEWS 1040	6/26/20 22:15	6/27/20 5:50	0.40	7.6	
	CSO-055	6/26/20 22:20	6/27/20 4:30	0.11	6.2	
	CSO-056B	6/26/20 22:20	6/27/20 5:20	0.61	7.0	
	CSO-056A	6/26/20 22:30	6/27/20 5:20	0.17	6.8	
	CSO-059	6/26/20 22:30	6/27/20 5:45	0.35	7.3	
	LEWS 1070	6/26/20 22:50	6/27/20 6:20	0.09	7.5	
	CSO-002	6/26/20 23:05	6/27/20 6:15	0.90	7.2	
	LEWS 1045	6/26/20 23:20	6/27/20 5:15	0.03	5.9	
39 ^{1,2}	LEWS 1040	7/10/20 15:20	7/10/20 16:00	0.09	0.7	0.89
	LEWS 1055	7/10/20 15:20	7/10/20 16:15	0.05	0.9	
	CSO-052	7/10/20 15:25	7/10/20 16:20	0.34	0.9	
	RRES 1145	7/10/20 15:25	7/11/20 4:35	0.04	13.2	
	CSO-056A	7/10/20 15:30	7/10/20 15:55	0.01	0.4	
	CSO-056B	7/10/20 15:30	7/10/20 16:00	0.07	0.5	
	CSO-055	7/10/20 15:30	7/11/20 4:25	0.24	12.9	
	CSO-052	7/10/20 23:20	7/11/20 5:00	0.85	5.7	
	LEWS 1040	7/10/20 23:30	7/11/20 4:55	0.22	5.4	
	CSO-056B	7/10/20 23:35	7/11/20 4:45	0.53	5.2	
	LEWS 1055	7/10/20 23:50	7/11/20 4:45	0.17	4.9	
	LEWS 1070	7/11/20 0:00	7/11/20 5:25	0.08	5.4	
	CSO-059	7/11/20 0:05	7/11/20 4:35	0.28	4.5	
	CSO-056A	7/11/20 0:15	7/11/20 4:45	0.11	4.5	
CSO-002	7/11/20 0:15	7/11/20 5:15	0.53	5.0		
40 ¹	CSO-055	7/19/20 12:35	7/19/20 17:15	0.07	4.7	0.19
	CSO-056B	7/19/20 12:35	7/19/20 17:15	0.07	4.7	
	LEWS 1055	7/19/20 12:35	7/19/20 17:15	0.03	4.7	
	CSO-056A	7/19/20 12:40	7/19/20 17:00	0.03	4.3	
	LEWS 1040	7/19/20 12:45	7/19/20 17:15	0.02	4.5	
	CSO-052	7/19/20 16:45	7/19/20 17:25	0.12	0.7	
41 ¹	CSO-056B	7/22/20 3:30	7/22/20 4:35	0.03	1.1	0.25
	LEWS 1040	7/22/20 3:45	7/22/20 4:40	0.02	0.9	
	CSO-052	7/22/20 4:00	7/22/20 5:00	0.16	1.0	

42 ^{1,2}	LEWS 1040	7/23/20 9:45	7/23/20 11:00	0.28	1.3	0.49
	LEWS 1055	7/23/20 9:45	7/23/20 11:00	0.19	1.3	
	RRES 1145	7/23/20 9:50	7/23/20 10:35	0.06	0.8	
	CSO-055	7/23/20 9:50	7/23/20 10:40	0.14	0.8	
	CSO-052	7/23/20 9:50	7/23/20 11:00	0.55	1.2	
	CSO-056A	7/23/20 9:55	7/23/20 11:05	0.06	1.2	
	CSO-056B	7/23/20 9:55	7/23/20 11:10	0.36	1.3	
	LEWS 1070	7/23/20 9:55	7/23/20 12:10	0.05	2.3	
	CSO-059	7/23/20 10:00	7/23/20 11:35	0.12	1.6	
	CSO-002	7/23/20 10:15	7/23/20 11:55	0.23	1.7	
43 ^{1,2}	RRES 1145	7/27/20 13:45	7/28/20 1:50	0.08	12.1	1.11
	LEWS 1055	7/27/20 13:45	7/28/20 2:00	0.19	12.3	
	CSO-055	7/27/20 13:50	7/27/20 15:30	0.04	1.7	
	CSO-056B	7/27/20 13:50	7/27/20 17:50	0.49	4.0	
	CSO-052	7/27/20 13:50	7/27/20 18:00	1.98	4.2	
	LEWS 1040	7/27/20 13:50	7/27/20 18:05	0.44	4.3	
	CSO-056A	7/27/20 13:55	7/27/20 17:50	0.14	3.9	
	CSO-059	7/27/20 14:05	7/27/20 18:20	0.41	4.3	
	CSO-002	7/27/20 14:40	7/27/20 18:30	0.78	3.8	
	LEWS 1070	7/27/20 15:15	7/27/20 19:05	0.09	3.8	
	LEWS 1040	7/28/20 0:45	7/28/20 2:30	0.16	1.8	
	CSO-055	7/28/20 0:50	7/28/20 1:30	0.04	0.7	
	CSO-056B	7/28/20 0:55	7/28/20 2:10	0.14	1.3	
	CSO-052	7/28/20 1:00	7/28/20 2:30	0.62	1.5	
	CSO-056A	7/28/20 1:05	7/28/20 2:10	0.03	1.1	
	CSO-059	7/28/20 1:15	7/28/20 2:30	0.03	1.3	
	CSO-002	7/28/20 1:25	7/28/20 2:55	0.24	1.5	
	LEWS 1070	7/28/20 1:35	7/28/20 3:05	0.03	1.5	
44 ¹	LEWS 1040	7/28/20 13:00	7/28/20 13:25	0.02	0.4	0.00
45 ¹	LEWS 1040	7/29/20 21:40	7/29/20 22:10	0.03	0.5	0.12
	CSO-056B	7/29/20 21:45	7/29/20 22:05	0.02	0.3	
	CSO-052	7/29/20 21:50	7/29/20 22:15	0.05	0.4	
46 ¹	CSO-052	8/1/20 16:35	8/1/20 22:00	0.53	5.4	0.36
	CSO-056B	8/1/20 16:40	8/1/20 21:00	0.08	4.3	
	LEWS 1040	8/1/20 16:40	8/1/20 21:55	0.06	5.3	
	CSO-056A	8/1/20 16:45	8/1/20 20:55	0.01	4.2	
	CSO-002	8/1/20 21:10	8/1/20 22:30	0.05	1.3	

47 ¹	LEWS 1055	8/2/20 8:55	8/2/20 15:55	0.02	7.0	0.25
	CSO-052	8/2/20 8:55	8/2/20 16:15	0.35	7.3	
	CSO-055	8/2/20 9:00	8/2/20 9:15	0.02	0.3	
	CSO-056B	8/2/20 9:00	8/2/20 9:45	0.09	0.8	
	CSO-056A	8/2/20 9:05	8/2/20 9:45	0.02	0.7	
	LEWS 1040	8/2/20 9:05	8/2/20 16:00	0.03	6.9	
	CSO-002	8/2/20 9:30	8/2/20 10:15	0.04	0.8	
48 ¹	CSO-052	8/3/20 14:40	8/3/20 14:55	0.02	0.3	0.12
49 ^{1,2}	CSO-055	8/16/20 11:00	8/16/20 12:35	0.19	1.6	0.89
	RRES 1145	8/16/20 11:00	8/16/20 12:40	0.10	1.7	
	LEWS 1055	8/16/20 11:00	8/16/20 12:50	0.18	1.8	
	LEWS 1040	8/16/20 11:00	8/16/20 13:55	0.49	2.9	
	CSO-052	8/16/20 11:00	8/16/20 14:10	2.14	3.2	
	CSO-056A	8/16/20 11:05	8/16/20 14:00	0.22	2.9	
	CSO-056B	8/16/20 11:05	8/16/20 14:00	0.97	2.9	
	LEWS 1070	8/16/20 11:10	8/16/20 15:10	0.10	4.0	
	CSO-059	8/16/20 11:15	8/16/20 14:25	0.44	3.2	
	CSO-002	8/16/20 11:20	8/16/20 15:00	1.08	3.7	
	LEWS 1190	8/16/20 11:30	8/16/20 12:30	0.01	1.0	
50 ^{1,2}	CSO-002	8/17/20 6:55	8/17/20 15:50	0.66	8.9	0.65
	LEWS 1055	8/17/20 12:40	8/17/20 14:50	0.12	2.2	
	CSO-052	8/17/20 12:40	8/17/20 15:05	1.22	2.4	
	LEWS 1040	8/17/20 12:40	8/17/20 15:10	0.28	2.5	
	CSO-055	8/17/20 12:45	8/17/20 14:25	0.17	1.7	
	RRES 1145	8/17/20 12:45	8/17/20 14:30	0.10	1.8	
	CSO-056B	8/17/20 12:45	8/17/20 15:10	0.62	2.4	
	CSO-056A	8/17/20 12:50	8/17/20 15:05	0.17	2.3	
	CSO-059	8/17/20 12:55	8/17/20 15:20	0.23	2.4	
	LEWS 1070	8/17/20 12:55	8/17/20 15:55	0.07	3.0	
	LEWS 1045	8/17/20 13:15	8/17/20 14:40	0.02	1.4	
	LEWS 1190	8/17/20 14:05	8/17/20 14:35	0.01	0.5	
51 ¹	LEWS 1040	8/26/20 8:45	8/26/20 9:25	0.03	0.7	0.18
	CSO-052	8/26/20 8:50	8/26/20 9:15	0.03	0.4	
	CSO-056B	8/26/20 8:50	8/26/20 9:20	0.04	0.5	
	LEWS 1055	8/26/20 8:50	8/26/20 9:30	0.02	0.7	
	CSO-056A	8/26/20 8:55	8/26/20 9:20	0.01	0.4	

52 ^{1,2}	CSO-052	8/28/20 8:00	8/28/20 20:45	5.17	12.8	2.17
	LEWS 1040	8/28/20 8:00	8/29/20 6:15	1.47	22.3	
	RRES 1145	8/28/20 8:05	8/28/20 19:15	0.20	11.2	
	LEWS 1055	8/28/20 8:05	8/28/20 19:30	0.41	11.4	
	CSO-055	8/28/20 8:10	8/28/20 18:25	0.34	10.3	
	CSO-056B	8/28/20 8:10	8/28/20 20:05	1.82	11.9	
	CSO-056A	8/28/20 8:15	8/28/20 19:55	0.51	11.7	
	CSO-059	8/28/20 8:20	8/28/20 21:00	1.50	12.7	
	LEWS 1070	8/28/20 8:50	8/28/20 22:05	0.25	13.3	
	LEWS 1045	8/28/20 8:55	8/28/20 15:55	0.05	7.0	
	CSO-002	8/28/20 8:55	8/28/20 21:50	3.04	12.9	
	LEWS 1190	8/28/20 9:00	8/28/20 18:30	0.04	9.5	
	CSO-052	8/29/20 3:50	8/29/20 6:10	0.90	2.3	
	LEWS 1055	8/29/20 3:55	8/29/20 5:30	0.08	1.6	
	RRES 1145	8/29/20 4:00	8/29/20 5:05	0.03	1.1	
	CSO-056B	8/29/20 4:05	8/29/20 5:45	0.28	1.7	
	CSO-055	8/29/20 4:10	8/29/20 4:45	0.06	0.6	
	CSO-056A	8/29/20 4:10	8/29/20 5:40	0.09	1.5	
	CSO-059	8/29/20 4:15	8/29/20 6:15	0.20	2.0	
	LEWS 1070	8/29/20 4:30	8/29/20 6:55	0.05	2.4	
CSO-002	8/29/20 4:35	8/29/20 7:00	0.61	2.4		
53 ¹	LEWS 1040	9/2/20 9:00	9/2/20 9:55	0.06	0.9	0.27
	LEWS 1055	9/2/20 9:05	9/2/20 9:45	0.02	0.7	
	CSO-052	9/2/20 9:05	9/2/20 10:10	0.38	1.1	
	CSO-056B	9/2/20 9:15	9/2/20 9:40	0.03	0.4	
54 ^{1,2}	LEWS 1055	9/7/20 5:50	9/7/20 15:40	1.71	9.8	3.39
	LEWS 1130	9/7/20 5:50	9/7/20 17:35	0.09	11.8	
	LEWS 1040	9/7/20 5:55	9/7/20 17:10	3.18	11.3	
	CSO-055	9/7/20 6:00	9/7/20 12:50	1.20	6.8	
	RRES 1145	9/7/20 6:00	9/7/20 13:15	0.49	7.3	
	CSO-056A	9/7/20 6:00	9/7/20 15:35	1.14	9.6	
	CSO-056B	9/7/20 6:00	9/7/20 16:05	5.56	10.1	
	CSO-052	9/7/20 6:00	9/7/20 16:25	11.20	10.4	
	CSO-059	9/7/20 6:05	9/7/20 17:40	4.93	11.6	
	LEWS 1070	9/7/20 6:05	9/7/20 20:00	0.49	13.9	
	CSO-058	9/7/20 6:10	9/7/20 10:10	0.03	4.0	
	LEWS 1295	9/7/20 6:10	9/7/20 10:15	0.02	4.1	
	LEWS 1190	9/7/20 6:25	9/7/20 13:20	0.21	6.9	
	CSO-002	9/7/20 6:25	9/7/20 20:10	7.51	13.8	

55 ^{1,2}	RRES 1145	9/13/20 7:15	9/13/20 8:15	0.02	1.0	0.34
	CSO-055	9/13/20 7:20	9/13/20 8:00	0.11	0.7	
	LEWS 1055	9/13/20 7:20	9/13/20 8:20	0.08	1.0	
	LEWS 1040	9/13/20 7:20	9/13/20 8:30	0.12	1.2	
	CSO-056B	9/13/20 7:20	9/13/20 8:40	0.22	1.3	
	CSO-056A	9/13/20 7:25	9/13/20 8:35	0.04	1.2	
	CSO-052	9/13/20 7:25	9/13/20 8:45	0.72	1.3	
	CSO-059	9/13/20 7:30	9/13/20 8:55	0.04	1.4	
	LEWS 1070	9/13/20 7:30	9/13/20 9:25	0.03	1.9	
	CSO-002	9/13/20 7:45	9/13/20 9:10	0.34	1.4	
56 ^{1,2}	RRES 1145	9/28/20 8:35	9/28/20 22:00	0.09	13.4	1.23
	LEWS 1040	9/28/20 16:00	9/28/20 22:20	0.69	6.3	
	LEWS 1055	9/28/20 16:05	9/28/20 20:10	0.30	4.1	
	CSO-059	9/28/20 16:10	9/28/20 22:35	1.25	6.4	
	CSO-055	9/28/20 16:30	9/28/20 18:50	0.32	2.3	
	CSO-056B	9/28/20 16:30	9/28/20 22:10	1.40	5.7	
	CSO-052	9/28/20 16:30	9/28/20 22:25	3.09	5.9	
	CSO-056A	9/28/20 16:35	9/28/20 22:00	0.37	5.4	
	LEWS 1070	9/28/20 16:50	9/28/20 23:25	0.19	6.6	
	LEWS 1190	9/28/20 17:00	9/28/20 18:55	0.04	1.9	
	CSO-002	9/28/20 17:05	9/28/20 23:00	2.26	5.9	
57 ¹	CSO-055	10/1/20 14:00	10/1/20 18:55	0.02	4.9	0.52
	CSO-056B	10/1/20 14:05	10/1/20 19:10	0.07	5.1	
	LEWS 1040	10/1/20 18:10	10/1/20 19:10	0.06	1.0	
	LEWS 1055	10/1/20 18:15	10/2/20 2:45	0.03	8.5	
	CSO-052	10/1/20 18:20	10/1/20 19:25	0.29	1.1	
	CSO-056A	10/1/20 18:25	10/1/20 19:00	0.01	0.6	
	CSO-002	10/1/20 18:35	10/1/20 19:25	0.05	0.8	
	CSO-056B	10/2/20 1:20	10/2/20 2:50	0.05	1.5	
	LEWS 1040	10/2/20 1:20	10/2/20 2:50	0.02	1.5	
	CSO-052	10/2/20 1:25	10/2/20 4:00	0.37	2.6	
	CSO-002	10/2/20 2:15	10/2/20 3:55	0.19	1.7	
58 ¹	LEWS 1040	10/4/20 16:35	10/4/20 17:25	0.03	0.8	0.19
	CSO-052	10/4/20 16:35	10/4/20 17:35	0.15	1.0	
	CSO-056B	10/4/20 16:40	10/4/20 17:20	0.04	0.7	

59 ^{1,2}	LEWS 1055	10/12/20 22:10	10/13/20 0:25	0.09	2.3	0.54
	RRES 1145	10/12/20 22:15	10/13/20 0:25	0.02	2.2	
	LEWS 1040	10/12/20 22:15	10/13/20 0:40	0.21	2.4	
	CSO-055	10/12/20 22:20	10/12/20 23:20	0.13	1.0	
	CSO-056B	10/12/20 22:20	10/13/20 0:45	0.47	2.4	
	CSO-052	10/12/20 22:20	10/13/20 0:55	1.21	2.6	
	CSO-002	10/12/20 22:20	10/13/20 1:40	1.08	3.3	
	CSO-056A	10/12/20 22:25	10/13/20 0:45	0.15	2.3	
	CSO-059	10/12/20 22:30	10/13/20 1:05	0.27	2.6	
	LEWS 1070	10/12/20 22:55	10/13/20 1:35	0.06	2.7	
	LEWS 1045	10/12/20 23:00	10/13/20 0:40	0.02	1.7	
60 ¹	LEWS 1040	10/19/20 4:15	10/19/20 9:25	0.19	5.2	0.57
	CSO-052	10/19/20 4:45	10/19/20 9:30	0.67	4.8	
	CSO-002	10/19/20 5:25	10/19/20 10:00	0.85	4.6	
	LEWS 1070	10/19/20 6:40	10/19/20 10:20	0.08	3.7	
	CSO-056B	10/19/20 7:00	10/19/20 9:25	0.18	2.4	
	CSO-056A	10/19/20 7:10	10/19/20 9:20	0.05	2.2	
	CSO-059	10/19/20 7:20	10/19/20 9:40	0.15	2.3	
	LEWS 1045	10/19/20 7:35	10/19/20 9:25	0.02	1.8	
61 ^{1,2}	LEWS 1040	10/20/20 1:20	10/20/20 3:30	0.12	2.2	0.35
	LEWS 1055	10/20/20 1:25	10/20/20 3:00	0.03	1.6	
	RRES 1145	10/20/20 1:25	10/20/20 3:00	0.02	1.6	
	CSO-052	10/20/20 1:30	10/20/20 3:50	0.70	2.3	
	CSO-055	10/20/20 1:35	10/20/20 2:20	0.02	0.8	
	CSO-056B	10/20/20 1:35	10/20/20 3:35	0.26	2.0	
	CSO-002	10/20/20 1:35	10/20/20 4:00	0.57	2.4	
	CSO-056A	10/20/20 1:40	10/20/20 3:25	0.07	1.8	
	LEWS 1070	10/20/20 2:10	10/20/20 4:30	0.05	2.3	
	CSO-059	10/20/20 2:15	10/20/20 3:55	0.18	1.7	
	LEWS 1045	10/20/20 2:20	10/20/20 3:40	0.02	1.3	


62 ^{1,2}	LEWS 1130	10/20/20 23:35	10/21/20 15:45	0.04	16.2	2.01
	RRES 1145	10/21/20 0:20	10/21/20 7:15	0.29	6.9	
	LEWS 1040	10/21/20 0:20	10/21/20 7:45	2.56	7.4	
	LEWS 1055	10/21/20 0:20	10/21/20 8:55	1.02	8.6	
	CSO-052	10/21/20 0:25	10/21/20 10:40	8.94	10.3	
	CSO-056B	10/21/20 0:40	10/21/20 9:55	4.11	9.3	
	CSO-002	10/21/20 0:55	10/21/20 13:00	3.17	12.1	
	CSO-056A	10/21/20 1:50	10/21/20 9:20	0.71	7.5	
	LEWS 1070	10/21/20 1:50	10/21/20 13:55	0.42	12.1	
	CSO-055	10/21/20 1:55	10/21/20 5:35	0.94	3.7	
	LEWS 1045	10/21/20 2:00	10/21/20 8:05	0.05	6.1	
	CSO-059	10/21/20 2:00	10/21/20 12:10	4.05	10.2	
	LEWS 1190	10/21/20 2:05	10/21/20 7:15	0.16	5.2	
63 ^{1,2}	RRES 1145	10/22/20 2:05	10/22/20 4:35	0.02	2.5	0.33
	CSO-055	10/22/20 2:25	10/22/20 4:35	0.05	2.2	
	LEWS 1055	10/22/20 2:30	10/22/20 4:55	0.05	2.4	
	CSO-002	10/22/20 2:30	10/22/20 6:45	0.98	4.3	
	LEWS 1040	10/22/20 2:35	10/22/20 5:05	0.14	2.5	
	CSO-056B	10/22/20 2:40	10/22/20 5:40	0.47	3.0	
	CSO-052	10/22/20 2:40	10/22/20 5:45	0.78	3.1	
	CSO-056A	10/22/20 2:55	10/22/20 5:30	0.12	2.6	
	LEWS 1070	10/22/20 3:10	10/22/20 7:05	0.09	3.9	
	CSO-059	10/22/20 3:20	10/22/20 6:00	0.36	2.7	
	LEWS 1045	10/22/20 3:25	10/22/20 5:30	0.03	2.1	
64 ^{1,2}	LEWS 1040	10/23/20 17:20	10/24/20 0:45	0.56	7.4	0.76
	LEWS 1055	10/23/20 17:25	10/24/20 0:45	0.24	7.3	
	CSO-052	10/23/20 17:35	10/24/20 2:05	3.04	8.5	
	LEWS 1130	10/23/20 17:35	10/24/20 6:20	0.01	12.8	
	RRES 1145	10/23/20 17:40	10/24/20 0:10	0.05	6.5	
	CSO-056B	10/23/20 17:40	10/24/20 1:35	0.86	7.9	
	CSO-059	10/23/20 17:40	10/24/20 2:35	0.74	8.9	
	CSO-002	10/23/20 18:00	10/24/20 2:25	1.21	8.4	
	CSO-055	10/23/20 18:15	10/24/20 0:10	0.09	5.9	
	LEWS 1070	10/23/20 18:15	10/24/20 3:50	0.21	9.6	
	CSO-056A	10/23/20 18:25	10/24/20 1:10	0.22	6.8	
	LEWS 1190	10/23/20 18:30	10/24/20 0:10	0.02	5.7	
LEWS 1045	10/23/20 18:35	10/24/20 0:50	0.03	6.3		
65 ¹	CSO-052	10/27/20 16:40	10/27/20 17:20	0.07	0.7	0.17

66 ¹	LEWS 1130	10/29/20 4:50	10/30/20 9:05	0.03	28.3	0.64
	CSO-052	10/29/20 6:50	10/29/20 13:20	1.29	6.5	
	LEWS 1040	10/29/20 6:55	10/29/20 11:30	0.14	4.6	
	CSO-002	10/29/20 8:00	10/29/20 13:50	0.98	5.8	
	LEWS 1070	10/29/20 8:30	10/29/20 14:50	0.14	6.3	
	CSO-056B	10/29/20 8:35	10/29/20 12:40	0.35	4.1	
	CSO-056A	10/29/20 9:05	10/29/20 11:40	0.11	2.6	
	LEWS 1045	10/29/20 9:05	10/29/20 12:35	0.05	3.5	
	CSO-059	10/29/20 9:05	10/29/20 13:15	0.27	4.2	
	LEWS 1040	10/30/20 0:45	10/30/20 1:55	0.03	1.2	
	CSO-052	10/30/20 0:50	10/30/20 4:45	0.26	3.9	
67 ¹	CSO-052	11/1/20 8:10	11/1/20 8:45	0.05	0.6	0.09
68 ¹	LEWS 1040	11/15/20 7:55	11/15/20 13:50	0.02	5.9	0.25
	CSO-052	11/15/20 8:10	11/15/20 13:50	0.21	5.7	
	CSO-056B	11/15/20 13:05	11/15/20 13:30	0.02	0.4	
69 ^{1,2}	LEWS 1040	11/22/20 9:10	11/22/20 16:40	0.29	7.5	0.71
	CSO-052	11/22/20 9:10	11/22/20 17:40	1.41	8.5	
	RRES 1145	11/22/20 9:20	11/22/20 16:15	0.03	6.9	
	CSO-002	11/22/20 12:20	11/22/20 18:15	1.17	5.9	
	CSO-056B	11/22/20 12:30	11/22/20 16:45	0.49	4.3	
	LEWS 1070	11/22/20 13:05	11/22/20 18:55	0.14	5.8	
	CSO-056A	11/22/20 13:10	11/22/20 16:35	0.16	3.4	
	CSO-059	11/22/20 13:20	11/22/20 17:55	0.36	4.6	
70 ^{1,2}	LEWS 1130	11/25/20 11:30	11/26/20 12:40	0.02	25.2	0.44
	LEWS 1040	11/25/20 23:00	11/26/20 0:15	0.04	1.3	
	RRES 1145	11/25/20 23:05	11/26/20 5:10	0.01	6.1	
	CSO-052	11/25/20 23:10	11/26/20 5:35	0.32	6.4	
71 ^{1,2}	CSO-052	11/30/20 5:55	12/1/20 1:40	1.77	19.8	0.99
	RRES 1165B	11/30/20 6:00	12/1/20 22:55	0.02	40.9	
	LEWS 1040	11/30/20 6:25	11/30/20 16:50	0.07	10.4	
	LEWS 1130	11/30/20 6:30	12/1/20 0:00	0.04	17.5	
	CSO-002	11/30/20 9:50	12/1/20 4:40	3.36	18.8	
	CSO-056B	11/30/20 10:10	11/30/20 17:15	0.33	7.1	
	LEWS 1070	11/30/20 10:50	12/1/20 4:50	0.40	18.0	
	CSO-056A	11/30/20 13:10	11/30/20 17:45	0.09	4.6	
	LEWS 1045	11/30/20 13:15	12/1/20 3:15	0.10	14.0	
	CSO-059	11/30/20 13:15	12/1/20 3:35	0.93	14.3	
	CSO-056A	11/30/20 23:50	12/1/20 3:05	0.10	3.3	
72 ¹	CSO-056B	12/12/20 15:35	12/12/20 16:00	0.02	0.4	0.13
	CSO-052	12/12/20 15:40	12/12/20 16:30	0.17	0.8	

73 ¹	CSO-052	12/21/20 20:55	12/21/20 21:20	0.04	0.4	0.08
74 ¹	LEWS 1045	12/27/20 13:20	12/27/20 13:30	0.02	0.2	0.14
75 ¹	LEWS 1040	12/27/20 22:25	12/28/20 7:30	0.23	9.1	0.06
	CSO-052	12/27/20 22:30	12/28/20 6:55	1.34	8.4	
	CSO-002	12/27/20 23:40	12/28/20 9:05	1.52	9.4	
	LEWS 1070	12/28/20 0:40	12/28/20 9:25	0.19	8.8	
	CSO-056B	12/28/20 2:05	12/28/20 6:10	0.21	4.1	
	CSO-059	12/28/20 2:10	12/28/20 6:30	0.28	4.3	
	CSO-056A	12/28/20 2:15	12/28/20 4:30	0.05	2.3	
	LEWS 1045	12/28/20 2:15	12/28/20 5:10	0.02	2.9	
76 ¹	CSO-052	12/30/20 14:40	12/30/20 22:50	1.21	8.2	0.32
	CSO-002	12/30/20 15:05	12/30/20 23:50	1.27	8.8	
	CSO-056B	12/30/20 18:50	12/30/20 22:25	0.34	3.6	
	LEWS 1070	12/30/20 18:55	12/31/20 0:20	0.12	5.4	
	CSO-056A	12/30/20 19:15	12/30/20 22:10	0.11	2.9	
	LEWS 1045	12/30/20 19:25	12/30/20 22:20	0.03	2.9	
	CSO-059	12/30/20 19:25	12/30/20 22:40	0.27	3.3	

¹ Clifton Beach and Edgewater Beach (both Bathing Waters) – potentially-impacted public access area

² Rocky River (Primary Contact Recreation) and Rocky River Marina – potentially-impacted public access area



Above is a map of the outfalls.

The City of Lakewood has an Integrated Wet Weather Improvement Plan (IWWIP) that will reduce combined sewer overflow events to four or less in a typical year of rainfall. The plan was submitted to the EPA on March 1, 2019, and currently incorporates: 1) the installation of a high rate treatment (HRT) facility for CSO-002 (projected 2021 substantial completion); 2) combined sewer overflow storage tank project for CSO-052 (preliminary design starting in 2021) which would discharge to the WWTP once the plant has recovered from the rain event; 3) sewer separation projects that reduce infiltration to the sewers at both the public and private levels; 4) combined sewer overflow storage tank project for CSO-059 (conceptual drawings and discussion started in 2021) which would discharge back to the Edgewater Interceptor Sewer once its water level has receded after a rain event; and, 5) increasing permeable surfaces where appropriate. The City's IWWIP is continually progressing.

For more information contact Mark Papke, City Engineer, 216.529.6807, Mark.Papke@lakewoodoh.net

The City of Lakewood, operates and maintains its collection system in accordance with the U.S. EPA's 1994 nine minimum controls (*Federal Register / Vol.59, No.75 / Tuesday, April 19, 1994 / Notices Section II B. page18691*). A brief description of the controls and Lakewood's activities for this reporting year follows:

Control 1—Reducing CSOs Through Operation and Maintenance

Lakewood continued to implement its operation and maintenance program for the combined sewer collection system, including: cleaning and televising sewer mains, catch basins and manholes.

Control 2—Storing CSOs in Collection System

To maximize as much sewage storage as possible in the collection system, the interceptor is filled prior to any CSO discharge to the greatest extent possible. This is routinely done in order to reduce the magnitude, frequency, and duration of CSOs. In 2019 Lakewood modified several overflow structures within the collection system (raised weirs, etc.) to store more flow within in the pipes before an overflow occurs. The data for 2020 demonstrates a reduction in overflow number and volume.

Control 3—Optimizing Pretreatment Program

Lakewood monitored the industrial pretreatment discharges. This was done to minimize CSO pollutants from the discharges of non-domestic users.

Control 4—Maximizing Flow through the Treatment Plant

Lakewood continued to operate the WWTP at its maximum treatable flow rate during wet weather flow conditions. This is routinely done to reduce the magnitude, frequency, and duration of CSOs.

Control 5—Preventing Dry-Weather Overflows

There were no dry weather overflows at Lakewood's CSO outfalls during this reporting year.

Control 6—Controlling Solids and Floatables

Lakewood maintains street sweeping from March-November every year as well as catch basin and sewer main cleaning. Volume over the past year of debris collected was 1,160 cubic yards.

Control 7—Preventing Pollution of Receiving Water Bodies

To reduce the impact of CSOs, the first flush during the CSO event(s) is routed to additional treatment capacity at the plant. The City also implements sewer improvement projects as a part of most public works improvements projects. These sewer improvement components include manhole separation and CIPP sewer lining where necessary, which reduce flow communication between "over" and "under" sewers. The City's "under" sewers route to the WWTP, whereas the "over" sewers generally route to receiving waters.

Control 8—Notifying the Public

In 2020, the public notification process was continued to inform the EPA, Cuyahoga County Board of Health, and interested citizens when CSOs occur. CSO's are publicly reported here: <http://cso.onelakewood.com/>.

Control 9—Monitoring CSO Outfalls to Confirm the Effectiveness of CSO Controls

Lakewood continued to monitor the CSO outfalls to characterize CSO discharges. Monitoring included metering the volume of the CSO discharge, visually inspecting the overflow for floatables, and sampling the initial overflow for pollutant concentrations.